

Wall Street Canyon

Intel® NUC 12 Pro – NUC12WSKi5/v5



Simply NUC

Wall Street Canyon i5 Slim

NUC 12 Pro NUC12WSKi5/v5

A New Generation in Business Computing

As modern-day businesses grow and expand, their IT infrastructure must evolve with them and the all-new 12th Gen Intel® Core™ i5 processor is here to keep you at the forefront of technology. Whether operating computationally complex serial operations for machine learning or executing multiple threads simultaneously, the all-new hybrid core architecture dynamically adjusts utilization of its 12 cores to optimize performance to keep you ahead in the market. With support for up to 64GB of DDR4 memory, up to 8.5TB of storage and vPro on select SKUs, Wall Street gives you the configuration options you need to bring your IT deployments to the next level.

Intrinsic Diversity, Consistent Return

Hybrid working conditions are more prevalent than ever and Wall Street provides the versatility you need to be efficient both in the office and at home. The 4x4 size and lightweight design of Wall Street allows you to effortlessly transition between the two. The Iris Xe Graphics supports an 8K monitor for unmatched video quality for your home theater or content creation. Wall Street natively provides dual Thunderbolt 4 ports

and four USB type-A ports to connect the peripherals you need, from printers to headsets or webcams. Further elevate your I/O with expansion lids for extended functionality without increasing the form factor. The intrinsic diversity of Wall Street lets you customize your application while promising consistent performance return.

Invest in Wall Street and Elevate your Embedded Development

Streamline your embedded systems by integrating a serial port expansion lid to effortlessly operate within your industrial application and enjoy zero downtime with 24/7 and fault-tolerant operation with DC transient voltage suppression. Expand your networking capabilities with headless display to give your edge devices or embedded solutions network security. Dual HDMI with persistent display functionality and dual Thunderbolt 4 ports can power four 4K displays simultaneously giving you superior video quality and flexibility to create immersive digital signage. Make the smart investment in Wall Street and elevate your designs today.

Features

- 12th Gen Intel® Core™ i5-1240P
 - (i5-1250P vPro Version)
- Intel® Iris® Xe Graphics
- TPM 2.0 (vPro Version Only)
- 2x DDR4-3200 SO-DIMM Sockets
- 1x M.2 22x80 M-key supporting PCIe x4 Gen 4 NVMe or SATA SSDs
- 1x M.2 22x42 B-Key supporting PCIe x1 Gen 3 or SATA SSDs
- 2x HDMI 2.0b
- 2x Thunderbolt 4 (Alt-DP)
- 1x Intel® 2.5Gb LAN
- Intel® Wi-Fi 6E AX211 + Bluetooth 5.2
- 3x USB 3.2 Gen2 Type-A
- 1x USB 2.0 Type-A
- 7.1 multichannel digital audio via HDMI or Thunderbolt
- 3.5mm stereo headset jack
- Kensington lock support
- VESA mount included
- 24x7 operation
- 19V 120W Power supply included
- Extended service support (1-, 3-, 5-years)



Customization

- Primary storage up to 8TB Gen4 NVMe or 2TB SATA SSD
- Secondary storage up to 512GB Gen 3 PCIe or 512GB SATA
- Memory up to 64GB
- Replaceable lid for I/O expansion
- OS options: Windows 10 Home & Pro, Windows IoT, Ubuntu



THINK BIG, go mini

Technical Specification

| | |
|----------------|---|
| Processor | Intel® 12th Gen Core™ i5-1240P 4P+8E/16T P-Cores: up to 4.4GHz - E-Cores: up to 3.3GHz 12MB Intel® Smart Cache 35W TDP Or Intel® 12th Gen Core™ i5-1250P vPro® 4P+8E/16T P-Cores: up to 4.4GHz - E-Cores: up to 3.3GHz 12MB Intel® Smart Cache 35W TDP |
| Graphics | Intel® Iris® Xe Graphics 4x 4K displays supported via 2x HDMI 2.0b + 2x Thunderbolt 4 Ports 1x 8K display supported |
| Memory | Dual DDR4-3200 SODIMMs, 1.2V, up to 64GB |
| Storage | 1x M.2 22x80 socket supporting PCIe x4 Gen 4 NVMe from 128GB to 8TB or SATA SSD from 128GB to 2TB 1x M.2 22x42 socket supporting PCIe x1 Gen3 NVMe from 128GB to 512GB or SATA SSD from 128GB to 512GB |
| Peripherals | Intel Wi-Fi 6E AX211, 802.11ax Bluetooth 5.2 1x 2.5Gb LAN (i225-LM – vPro, i225-V – non-vPro) 2x Front USB 3.2 Gen2 type-A 1x Rear USB 3.2 Gen2 type-A 1x Rear USB 2.0 type-A 2x Rear Thunderbolt 4 |
| Chassis | 117x112x37mm Kensington lock support VESA mount kit support |
| Expansion | 2x USB 2.0 headers Replaceable lid for I/O expansion |
| Audio | 3.5mm front stereo headset jack 7.1 multichannel digital audio via HDMI & Thunderbolt |
| Power | 12-20V _{DC} variable DC input 120W 19V PSU supplied |
| Extra Features | Display emulation via HDMI (Virtual display, persistent display, headless display) Delayed AC start Auto CMOS reset DC transient voltage suppression |

Certifications and Regulations

| | |
|-----------------------------------|--|
| Safety Regulations and Standards | IEC/EN/UL 60950-1 IEC/EN/UL 62368-1 |
| EMC/RF Regulations & Standards | FCC Part 15B/15C/15E CISPR/EN 55032/55024 ICES-003 VCCI 32 BSMI CNS 13438 KN 32/35 AS/NZS CISPR 32 EN 300 328 EN 301 893 EN 300 440 EN 301 489-1/3/17 EN 62311 AS/NZS 4268 AS/NZS 2772.2 ARPANSA |
| Environmental Regulations | EU RoHS China RoHS Taiwan BSMI RoHS REACH |
| Certified Operating Systems | Windows 10 64-bit (Pro and Home) Windows 10 IoT Linux (Ubuntu) |
| Environmental Operating Temp etc. | 0°C to +40°C |